

6. REFERENCIAS

ACP. Approved Code of Practice for the prevention or control of legionellosis (including legionnaires' disease). Health and Safety Executive HMSO. ISBN 0 11 885659 6. **1991.**

AENOR, norma UNE 100-030-94. Climatización. Guía para la prevención de la legionela en instalaciones. Pag 1-12. **1994.**

Arnow PM, Chou T, Weil D, Shapiro EN and Kretzschmar C. Nosocomial Legionnaires' disease caused by aerosolized tap water from respiratory devices. *J Infect Dis.* 146:460-467. **1982.**

BACS. British Association for Chemical Specialities. A Code Practice: The control of legionellae by the safe and effective operation of cooling systems. Sutton. ISBN 0 95 149500 3. **1989.**

Barbaree JM, Gorman GW, Martin WT, Fields BS and Morrill WE. Isolation of protozoa from water associated with a legionellosis outbreak and demonstration of intracellular multiplication of *Legionella pneumophila*. *Appl Environ Microbiol.* 51:422-424. **1986.**

Bartlett CRL, Kurtz JB, Hutchison JGP, Turner GC and Wright AE. Legionella in hospital and hotel water supplies. *Lancet.* 2:1315. **1983.**

Bartlet CRL, Macrae AD and Macfarlane JY. Surveillance, control and prevention. En "Legionella infections". Edward Arnold Eds, London. Pag 120-147. **1986.**

Baskerville A, Fizgeorge RB, Broster M, Hambleton P and Dennis PJ. Experimental transmission of legionnaires' disease by exposure to aerosols of *Legionella pneumophila*. *Lancet.* 2:1389-1390. **1981.**

Benson RF, Thacker WL, Wilkinson HW, Fallon RJ and Brenner DJ. *Legionella pneumophila* serogroup 14 isolated from patients with fatal pneumonia. *J Clin Microbiol.* 26:382. **1988.**

Benson RF, Thacker WL, Daneshvar MI and Brenner DJ. *Legionella Waltersii* sp nov and an unnamed Legionella genomspecies isolated from water in Australia. *Int J Syst Bact.* 46:631-634. **1996.**

BES. Informe del Brote de neumonía por *Legionella* de Alcalá de Henares. Madrid, abril 1997 (I y II). *Bol Epidemiol Sem.* 5, nº 14 y 15:133-152. **1997.**

BES. Comentario epidemiológico de las enfermedades de declaración obligatoria (EDO) y sistema de información microbiológica (SIM). España año 1997. *Bol Epidemiol Sem.* 6:1-5. **1998a.**

BES. Legionelosis relacionada con el turismo en España. Área de Vigilancia de la salud pública. Centro Nacional de Epidemiología. Instituto de Salud Carlos III. *Bol Epidemiol Sem.* 6 nº 3:25-28. **1998b**

BHE Guide d'investigation d'un ou plusieurs cas de légionellose. Bulletin épidémiologique Hebdomadaire. Nº20-22. **1997.**

Birtles RJ, Harrison TG, Samuel D and Taylor AG. Evaluation of urinary antigen ELISA for diagnosing *Legionella pneumophila* serogroup 1 infection. *J Clin Pathol.* 43:685-690. **1990.**

BMS. Brote epidémico de neumonía por *Legionella* en Almuñécar. *Bol Microbiol Sem.* 48:2-4. **1991.**

Bopp CA, Summer JW, Morris GK and Wells JG. Isolation of *Legionella* spp. from environmental water samples by low-pH treatment and use of a selective medium. *J Clin Microbiol.* 13: 714-719. **1981.**

Bornstein N, Marmet D, Surgot M, Nowicki M, Arslam A, Esteve J and Fleurette J. Exposure to Legionellaceae at a hot spring spa: a prospective clinical and serological study. *Epidem Infec.* 102:31-36. **1989.**

Brenner DJ, Steigerwalt AG and McDade JE. Classification of the legionnaires' disease bacterium: *Legionella pneumophila*, genus novum, species nova, of the family *Legionellaceae*, familia nova. Ann Inter Med. 90:656-658. **1979**.

Breiman RF, Cozen W, Fields BS, Mastro TD, Cart SJ, Spika JS and Mascola L. Role of air sampling in investigation of an outbreak of legionnaires' disease associated with exposure to aerosols from an evaporative condenser. J Infect Dis. 161:1257-1261. **1990**.

Castellani M, Ciceroni L, Lo Monaco R, Goldoni P, Mentore B, Flego G, Cattani L, Ciarrocchi S, Pinto A and Visca P. Molecular epidemiology of an outbreak of Legionnaires' Disease associated with a cooling tower in Genova-Sestri Ponente, Italy. Eur J Clin Microbiol Infect Dis. 16:883-892. **1997**.

Cherry WB, Pittman B, Harris PP, Hebert GA, Thomason BM, Thacker L and Weaver RE. Detection of legionnaires disease bacteria by direct immunofluorescent staining. J Clin Microbiol. 8:329-338. **1978**.

CISBE Technical Memorandum (TM13). Minimising the risk of legionnaires'disease. Chartered Institution of Building Service Engineers. ISBN 0 90 095334 9. **1987**.

CNE Protocolos de las enfermedades de declaración obligatoria. Madrid: Centro Nacional de Epidemiología. Instituto de Salud Carlos III. Ministerio de Sanidad y Consumo, **1996**.

Colbourne JS, Dennis PJ, Trew RM, Berry C and Vesey G. *Legionella* and public water supplies. Wat Sci Tech. 20:5-10. **1988**.

Cordes LG, Fraser DW, Skaly P, Perlino CA, Elsea WR, Mallison GF and Hayes PS. legionnaires' disease outbreak at an Atlanta, Georgia, country club : evidence for spread from an evaporative condenser. Am J Epidemiol. 11:425-431. **1980**.

CPNSW. Code of Practice for the control of legionnaires'disease. New South Wales. NSW Health Department, Sidney, Australia. ISBN 0 7305 3453 7. **1991**.

Dominguez J, Manterola JM, Blavia R, Sopena N, Belda F, Padilla E, Gimenez M, Sabriá M, Morera J and Ausina V. Detection of *Legionella pneumophila* serogroup 1 antigen in nonconcentrated urine and und urine concentrated by selective ultrafiltration. J Clin Microbiol. 34:2334-2336. **1996**.

Dominguez J, Matas L, Manterola JM, Blavia R, Sopena N, Belda F, Padilla E, Gimenez M, Sabriá M, Morera J and Ausina V. Comparison of radioimmunoassay and enzyme immunoassay kits for detection of *Legionella pneumophila* serogroup 1 antigen in both concentrated and nonconcentrated urine samples. J Clin Microbiol 35:1627-1629. **1997**.

Dondero TJ, Rendtorff RC, Mallison GF, Weeks RM, Levy JS, Wong EW and Schafener V. An outbreak of legionnaires' disease associated with a contaminated cooling tower. N Engl J Med. 302:365-370. **1980**.

Edelstein PH. Improved semiselective medium for isolation of *Legionella pneumophila* from contaminated clinical and environmental specimens. J Clin Microbiol. 14:298-303. **1981**.

Edelstein PH, Snitzer JB and Bridge JA. Enhancement of recovery of *Legionella pneumophila* from contaminated respiratory tract specimens by heat. J Clin Microbiol. 16:1061-1065. **1982**.

Edelstein PH. Evaluation of the Gen-Probe DNA probe for the detection of legionellae in culture. J Clin Microbiol. 23:481-484. **1986**.

Edelstein PH. Legionnaires' disease. CID. 16:741-749. **1993**.

Edelstein PH. Antimicrobial chemotherapy for legionnaires' disease: a review. CID 21 (suppl 3):S265-276. **1995**.

EH48. Guidance Note EH 48 from the Health and Safety Executive. Legionnaires' disease. Environmental Hygiene Series 48. HMSO. ISBN 0 11 883 939 X. **1987.**

Fields BS, Sanden GN, Barbaree JM, Morril WE, Wadowsky RM, White EH and Feeley JC. Intracellular multiplication of *Legionella pneumophila* in amoebae isolated from hospital hot water tanks. Curr microbiol. 18:131-137. **1989.**

Fiore AE, Nuorti JP, Levine OS, Marx A, Weltman AC, Yeager S, Benson RF, Pruckler J, Edelstein PH, Greer P, Zaki SR, Fields BS and Butler JC. Epidemic Legionnaires' Disease two decades later: old sources, new diagnostic methods. CID. 26:426-433. **1997.**

Fitzgeorge RB, Baskerville MB, Hambleton P and Dennis PJ. Aerosol infection of animals with strains of *Legionella pneumophila* of different virulence: comparison with intraperitoneal and intranasal routes of infection. J Hyg Camb. 90:80-89. **1983.**

Fliermans CB, Cherry WB, Orrison LH, Smith SJ, Tison DL and Pope DH. Ecological distribution of *Legionella pneumophila*. Appl Environ Microbiol. 41:9-16. **1981.**

Fraser DW, Deubberm DC, Hill DL, and Gilliam DK. Nonpneumonic short-incubation period legionellosis (Pontiac fever) in men who cleaned a steam turbine condenser. Science. 5:690-691. **1979.**

Freije MR. Legionellae control in health care facilities, a guide for minimizing risk. Indianapolis: HC Information Resources. **1996.**

Galmés A and Martinez-Navarro J. Travel associated legionellosis among european tourist in Spain. Eurosurveillance. 2:43-46. **1997.**

Groothuis DG, Veenendaal HR, Dijkstra HL. Influence of temperature on the number of *Legionella pneumophila* in hot water systems. J Appl Bacteriol. 59:529-536. **1985.**

Grupo de trabajo. Informe: Brote de neumonía por *Legionella* de Alcalá de Henares. Boletín Epidemiológico de la Comunidad de Madrid. Número monográfico. **1997.**

Hlady WG, Mullen RC, Mintz CS, Shelton BG, Hopkins RS and Daikos GL. Outbreak of legionnaires' disease linked to a decorative fountain by molecular epidemiology. Am J Epidemiol. 138:555-562. **1993.**

Hierro F, Balbín J, Rodriguez-Solórzano L, Seoane A y Mellado A. *Legionella pneumophila* en aguas superficiales de la región Cantabria. Laboratorio. 80:159-165. **1985.**

Hoge CW and Breiman RF. Advances in the epidemiology and control of *Legionella* infections. Epidemiol Rev. 13:329-340. **1991.**

Horwitz MA and Silverstein SC. The legionnaires' disease bacterium (*Legionella pneumophila*) multiplies intracellularly in human monocytes. J Clin Invest. 66:441-450. **1980.**

HSG70. The control of legionellosis, including legionnaires' disease. Health and safety Series booklet. HSG 70. ISBN 0 11 885660 X. **1991.**

Infuso A Hubert B, Dumas D, Reyrolle M, De Mateo S, Pelaz C, Hemery C and Perez I. Outbreak of legionnaires' disease in two groups of tourists staying at camp sites in France and Spain, June 1996. Eurosurveillance. 2:48-50. **1997.**

Jernigan DB, Hofmann J, Cetron MS, Genese CA, Nuorti JP, Fields BS, Benson RF, Carter RJ, Edelstein PH, Guerrero IC, Paul SM, Lipman HB and Breiman RF. Outbreak of legionnaires' disease among cruise ship passengers exposed to a contaminated whirlpool spa. Lancet 347:494-498. **1996.**

Joly JR, Boissinot M, Duchaine J, Duval M, Rafrati J, Ramsay D and Letarte R. Ecological distribution of *Legionellaceae* in the Quebec city area. Can J Microbiol. 30:63-67. **1984.**

Joseph CA, Watson JM, Harrison TG and Bartlett CLR. Nosocomial legionnaires' disease in England and Wales, 1980-92. *Epidemiol Infect.* 112:329-345. **1994**.

Joseph C, Morgan D, Birtles R, Pelaz C, Martin-Bourgón C, Black M, García-Sánchez I, Griffin M, Bornstein N and Bartlet C. An international investigation of an outbreak of legionnaires disease among UK and French tourist. *Eur J Epidemiol.* 12:215-219. **1996**.

Kaan JA, Simoons-Smit AM and MacLaren DM. Another source of aerosol causing nosocomial legionnaires disease. *J Infec.* 11:145-148. **1985**.

Keller DW, Hajjeh R, DeMaria A, Fields BS, Pruckler JM, Benson RS, Kludt PE, Lett SM, Mermel LA, Giorgio C and Breiman R. Community outbreak of legionnaires' disease: an investigation confirming the potential for cooling towers to transmit *Legionella* species. *CID.* 22:257-61. **1996**.

Lane CR, Joseph CA and Bartlet CLR. European Surveillance of travel associated legionnaires'disease 1996. *Eurosveillance.* 3:6-8. **1998**.

Lisby G and Dessau R. Construction of a DNA amplification assay for detection of *Legionella* species in clinical samples. *Eur J Clin Microbiol Infect Dis.* 13:225-231. **1994**.

Lo Presti F, Riffard S, Vandenesch F, Reyrolle M, Ronco E, Ichai P and Etienne J. The first clinical isolate of *Legionella parisiensis*, from a liver transplant patient with pneumonia. *J Clin Microbiol.* 35:1706-1709. **1997**.

Mahbubani MH, Bej AK, Miller R, Haff L, DiCesare J and Atlas R M. Detection of *Legionella* with polymerase chain reaction and gene probe methods. *Mol Cel Probes.* 4:175-187. **1990**.

Mahony MCO, Stanwell-Smith RE, Tillet HE, Harper D, Hutchison JGP, Farrel ID, Hutchison DN, Lee JV, Dennis PJ, Duggal HV, Scully JA and Denne c. The Stafford outbreak of legionnaires' disease. *Epidemiol Infect.* 104:361-380. **1990**.

Mahoney FJ, Hoge CW, Farley TA, Barbaree JM, Breiman RF, Benson RF and McFarland LM. Community wide outbreak of legionnaires' disease associated with a grocery store mist machine. *J Infect Dis.* 165:736-739. **1992**.

Marrie TJ, MacDonald S, Clark K and Haldane D. Nosocomial legionnaires'disease: lessons from a four-year prospective study. *Am J Infect Control.* 19:79-85. **1991**.

Marston BJ, Lipman HB and Breiman RF. Surveillance for legionnaires' disease: risk factors for morbidity and mortality. *Arch Intern Med.* 154:2417-2422. **1994**.

Mastro TD, Fields BS, Breiman RF, Campbell J, Plikaytis BD and Spika JS. Nosocomial Legionnaires'disease and use of medication nebulizers, *J Infect Dis.* 163:667-671. **1991**.

Matsiota-Bernard P, Pitsouni E, Legakis N and Nauciell C. Evaluation of comercial amplification kit for detection of *Legionella pneumophila* in clinical specimens. *J Clin Microbiol* 32:1503-1505. **1994**.

Mc Dade JE, Shepard CC, Fraser DW, Tsai TR, Redus MA, Dowle WR and the laboratory investigation team. Legionnaires' disease. Isolation of a bacterium and demonstration of its role in other respiratory diseases. *New Engl J Med.* 297:1197-1203. **1977**.

Memorandum de la OMS. Epidemiology, prevention and control of legionellosis: Memorandum from a WHO meeting. *WHO Bull.* 68:155-164. **1990**.

MMWR. Guidelines for prevention of nosocomial pneumonia. *CDC Morbidity and mortality weekly report.* 46:28-39. **1997**.

Moiraghi A, Pastoris AC, Barral C, Carle F, Csiacovelli A, Passarino G and Marforio P. Nosocomial legionellosis associated with use of oxygen bubble humidifiers and underwater chest drains. *J Hosp Infec.* 10:47-50. **1987**.

NHMRC. Australian Guidelines for the control of Legionella and Legionnaires' disease. National Health and Medical Research Council. Australian Government Publishing Service Canberra. **1988**.

OMS. Environmental aspects of the control of legionellosis. Report on a WHO Meeting. Environmental Health Series, nº 14, WHO, Copenhagen **1986**.

Ortiz-Roque CM and Hazen TH. Abundance and distribution of *Legionellaceae* in Puerto Rican waters. *Appl Environ Microbiol.* 53:2231-2236. **1987**.

Pasculle AW, Feeley JC, Gibson RJ, Cordes LG, Myerowitz RL, Patton CM, Gorman GW, Carmack CL, Ezzell JW and Dowling JN. Pittsburgh pneumonia agent: direct isolation from human lung tissue. *J Infec Dis.* 141:727-732. **1980**.

Pelaz C García L and Martín Bourgon C. Legionellae isolated from clinical and environmental samples in Spain (1983-1990): monoclonal typing of *Legionella pneumophila* serogroup 1 isolates. *Epidemiol Infect.* 108:397-402. **1992**.

Pelaz C y Martín-Bourgón C. Caracterización de aislados clínicos y ambientales de *Legionella* asociados a brotes y estudio de las fuentes de infección. *Enferm Infec Microbiol Clin.* 11:359-365. **1993a**.

Pelaz C y Martin bourgon C. Legionellosis: datos de España, diagnóstico de laboratorio y recomendaciones para su prevención y control en instalaciones de edificios. Instituto de Salud Carlos III. ISBN: 84-7670-362-7. **1993b**.

Pelaz C Caracterización microbiológica de aislados de *Legionella* implicados en infección humana. Tesis Doctoral, Universidad Complutense de Madrid. **1998**.

Plouffe JF, File TM, Breiman RF, Hackman BA, Salstrom SJ, Marston BJ, Fields BS and the community based pneumonia incidence study group. Reevaluation of the definition of legionnaires' disease: use of the urinary antigen assay. *Clin Infec Dis.* 20:1286-1291. **1995**.

Reingold AL, Thomason BM, Brake BJ, Thacker L, Wilkinson HW and Kuritsky JN. *Legionella* penumonia in the United States: the distribution of serogroups and species causing human illness. *J Infect Dis.* 149:819. **1984**.

Rowbotam TJ. Preliminary report on the pathogenicity of *Legionella pneumophila* for freshwater and soil amoebae. *J Clin Path.* 33:1179-1183. **1980**.

Sanden GN, Fields BS, Barbaree JM and Feeley JC. Viability of *Legionella pneumophila* in chlorine-free water at elevated temperatures. *Curr Microbiol.* 18:61-65. **1989**.

Schlech WF. *Legionella* and fountains. *Lancet* 336:576. **1990**.

SCS. Servei Catalá de la Salut. Mesures de Control dels sistemes d'aire i aigua. Prevenció de la Legionellosi als Centres Sanitaris. Barcelona . **1994**.

Siquier G y García M. Prevención y lucha contra la *Legionella pneumophila*. Conselleria de Sanitat y Consum Govern Balear. Palma de Mallorca. **1997**.

Steinert M, Emödy L, Amman R and Hacker J. Resuscitation of viable but nonculturable *Legionella pneumophila* Philadelphia JR32 by *Acanthamoeba castellanii*. *Appl Environ Microbiol.* 63:2047-53. **1997**.

Stout JE, Yu VL and Best MG. Ecology of *Legionella pneumophila* within water distribution system. *Appl Environ Microbiol.* 49:221-228. **1985**.

Stout JE, Yu VL, Muraca P, Joly L, Troup N and Tompkins LS. Potable water as a cause of sporadic cases of community-acquired legionnaires' disease. *N Engl J Med.* 326:151-155. **1992**.

Stout JE and Yu VL. Legionellosis. Review articles. *N Engl J Med.* 337:682-687. **1997**.

Tenover FC, Edelstein PH, Goldstein LC, Sturge JC and Plorde JJ. Comparison of cross-staining reactions by *Pseudomonas* spp. and fluorescein-labeled polyclonal and monoclonal antibodies directed against *Legionella pneumophila*. *J Clin Microbiol.* 23:647-649. **1986**.

Tison DL, Baross JA and Seidler RJ. *Legionella* in aquatic habitat in the Mount Saint Helens blast zone. *Current Microbiol.* 9:345-348. **1983**.

Tobin JO, Dunnell MS, French PJ, Morris PJ, Beare J, Fisher-Hoch SP, Mitchell RG and Muers MF. Legionnaires' disease in a transplant unit: isolation of the causative agent from shower baths. *Lancet*, 2:118-121. **1980**.

Veríssimo A, Marrao G, Gomes da Silva F and da Costa MS. Distribution of *Legionella* spp. in hydrothermal areas in continental Portugal and the island of São Miguel, Azores. *Appl Environ Microbiol.* 57:2921-2927. **1991**.

Voss L, Button KS and Tuovinen OH. *Legionella* in a metropolitan water distribution system. *Environ Tech Lett.* 6:429-438. **1985**.

Wadowsky RM, Yee RB, Mezmar L, Wing EJ and Dowling JN. Hot water systems as sources of *Legionella pneumophila* in hospital and nonhospital plumbing fixtures. *App Environ Microbiol.* 43:1104-1110. **1982**.

Watson JM, Mitchell E, Gabbay J, Maguire H, Boyle M, Bruce J, Tomlinson M, Lee J, Harrison TG, Uttley A, O'Mahony M and Cunningham D. Piccadilly Circus legionnaires' disease outbreak. *J Pub Hlth Med.* 16:341-347. **1994**.

Wilkinson HW, Fikes BJ and Cruce DD. Indirect immunofluorescence test for serodiagnosis of Legionnaires disease: evidence for serogroup diversity of Legionnaires disease bacterial antigens and for multiple specificity of human antibodies. *J Clin Microbiol.* 9:397-383. **1979**.

Wilkinson HW, Cruce DD and Broome CV. Validation of *Legionella pneumophila* indirect immunofluorescence assay with epidemic sera. *J Clin Microbiol.* 13:139-146. **1981**.

Wilkinson HW, Sampson JS and Plicayatis BB. Evaluation of a commercial gene probe for identification of *Legionella* cultures. *J Clin Microbiol.* 23:217-220. **1986**.

Winn WC, Cherry WB, Frank RO, Casey CA and Broome CV. Direct immunofluorescent detection of *Legionella pneumophila* in respiratory specimens. *J Clin Microbiol.* 11:59-64. **1980**.

Yu VL, Zuravleff JJ, Gavlik L and Magnussen MH. Lack of evidence for person-to-person transmission of legionnaires' disease. *J Infect Dis.* 146:362. **1983**.

Boletines Oficiales:

Boletín Oficial del Estado. Real Decreto 2210/95, de 28 de diciembre, por el que se crea la Red Nacional de Vigilancia Epidemiológica. BOE núm 21, 24/1/1996.

Boletín Oficial del Estado. Real Decreto 1138/1990, de 14 de septiembre, por el que se aprueba la Reglamentación Técnico Sanitaria para el abastecimiento y el control de la calidad de las aguas potables de consumo público. BOE núm 226, 20/9/1990 y BOE núm 282, 24/11/1990.

Boletín Oficial del Estado. Orden del 9 de diciembre de 1975 del Ministerio de Industria por la que se aprueban las Normas Básicas para instalaciones interiores de suministro de agua. BOE núm 11, 13/1/1976 y BOE núm 37, 12/2/1976.

Boletín Oficial del Estado. Real Decreto 1751/1998 de 31 de julio, por el que se aprueba el Reglamento de Instalaciones Térmicas en los Edificios (RITE) y sus Instrucciones Técnicas Complementarias (ITE) y se crea la Comisión Asesora para las Instalaciones Térmicas de los Edificios. BOE núm 186, 5/8/1998.

Boletín Oficial de la Comunidad de Madrid. Orden 1187/1998, de 11 de junio, de la Consejería de Sanidad y Servicios Sociales de la Comunidad de Madrid, por la que se regulan los criterios higiénico-sanitarios que deben reunir los aparatos de transferencia de masa de agua en corriente de aire y aparatos de humectación para la prevención de la Legionelosis. BOCAM núm 144, 19/6/1998.

Boletín Oficial de la Comunidad de Madrid. Corrección de errores de la Orden 1187/1998, de 11 de junio, de la Consejería de Sanidad y Servicios Sociales de la Comunidad de Madrid, por la que se regulan los criterios higiénico-sanitarios que deben reunir los aparatos de transferencia de masa de agua en corriente de aire y aparatos de humectación para la prevención de la Legionelosis. BOCAM núm 155, 2/7/1998.

Boletín Oficial del Estado. Ley 31/1995, de 8 de noviembre, de Prevención de Riesgos Laborales. BOE núm 269, 10/11/1995.

Boletín Oficial del Estado. Real Decreto 39/1997, de 17 de enero, por el que se aprueba el Reglamento de los Servicios de Prevención. BOE núm 27, 31/1/1997.

Boletín Oficial del Estado. Real Decreto 664/1997, de 12 de mayo, sobre la protección de los trabajadores contra los riesgos relacionados con la exposición a agentes biológicos durante el trabajo. BOE núm 124, 24/5/1997.

Boletín Oficial del Estado. Real Decreto 363/1995, de 10 de marzo, por el que se aprueba el Reglamento sobre notificación de sustancias nuevas y clasificación, envasado y etiquetado de sustancias peligrosas.

Boletín Oficial del Estado. Real Decreto 1078/1993, de 2 de julio, por el que se aprueba el reglamento sobre clasificación, envasado y etiquetado de preparados peligrosos.

Boletín Oficial del Estado. Real Decreto 3349/1983, de 30 de noviembre, Reglamentación Técnico Sanitaria para fabricación, comercialización y utilización de plaguicidas. BOE núm 20, 24/1/1984.

Boletín Oficial del Estado. Real Decreto 162/1991, de 8 de febrero, que modifica la Reglamentación Técnico Sanitaria para fabricación, comercialización y utilización de plaguicidas, aprobada por RD 3349/1983, de 30 de noviembre. BOE núm 40, 15/2/1991.

Boletín Oficial del Estado. Real Decreto 443/1994, de 11 de marzo, por el que se modifica la reglamentación técnico-sanitaria para fabricación, comercialización y utilización de los plaguicidas. BOE núm 76, 30/3/1994.

Boletín Oficial del Estado. Orden de, 4 de febrero de 1994, por la que se prohíbe la comercialización y utilización de plaguicidas de uso ambiental que contienen determinados ingredientes activos peligrosos. BOE 17/2/1994.

Directiva 98/87CE del Parlamento Europeo y del Consejo, de 16 de febrero de 1998, relativa a la comercialización de biocidas.